

Rittal – The System.

Faster – better – worldwide.

 **Make IT easy**
Your conversion aid: From TS8 to TS IT



ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

Product range TS8

| TS8 Part No. | Design | Color | | Dimensions inches (mm) | | | | Doors | | | | | Roof for cable entry, rear (round grommets) | 180° hinges | | Handle for individual lock | | | Catalog 33 page |
|--|----------------------|---------------------|--------------------|------------------------|------|------|----|--------------|-------|------------|-------|------------|---|-------------|------|----------------------------|------|-------------|-----------------|
| | | RAL 7035 Light Grey | Sand Texture Black | W | H | D | U | Front | | | Rear | | | Front | Rear | Front | Rear | Base/plinth | |
| | | | | | | | | Viewing door | Solid | Perforated | Solid | Perforated | | | | | | | |
| TS8 Server Enclosure Full Front and Split Rear Perforated Doors | | | | | | | | | | | | | | | | | | | |
| 9963.702 | TS8 Server enclosure | ■ | - | 600 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 134 |
| 9963.716 | TS8 Server Enclosure | ■ | - | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.703 | TS8 Server Enclosure | - | ■ | 600 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 134 |
| 9963.717 | TS8 Server Enclosure | - | ■ | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.704 | TS8 Server Enclosure | ■ | - | 700 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 134 |
| 9963.706 | TS8 Server Enclosure | ■ | - | 800 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 134 |
| 9963.718 | TS8 Server Enclosure | ■ | - | 700 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.720 | TS8 Server Enclosure | ■ | - | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.705 | TS8 Server Enclosure | - | ■ | 700 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 134 |
| 9963.707 | TS8 Server Enclosure | - | ■ | 800 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 134 |
| 9963.719 | TS8 Server Enclosure | - | ■ | 700 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.721 | TS8 Server Enclosure | - | ■ | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.730 | TS8 Server Enclosure | ■ | - | 600 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.742 | TS8 Server Enclosure | ■ | - | 600 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.743 | TS8 Server enclosure | - | ■ | 600 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.732 | TS8 Server Enclosure | ■ | - | 700 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.734 | TS8 Server Enclosure | ■ | - | 800 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.744 | TS8 Server Enclosure | ■ | - | 800 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.733 | TS8 Server Enclosure | - | ■ | 700 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.745 | TS8 Server Enclosure | - | ■ | 800 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.731 | TS8 Server Enclosure | - | ■ | 600 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.735 | TS8 Server Enclosure | - | ■ | 800 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |

| | | | | | | | | | | | | | | | | | | | |
|--|----------------------|---|---|-----|------|------|----|---|---|---|---|---|---|---|---|---|---|---|-----|
| TS8 Server Enclosure Full Front and Split Rear Perforated Doors | | | | | | | | | | | | | | | | | | | |
| 9963.708 | TS8 Server enclosure | ■ | - | 600 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 134 |
| 9963.722 | TS8 Server Enclosure | ■ | - | 600 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.709 | TS8 Server Enclosure | - | ■ | 600 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 134 |
| 9963.723 | TS8 Server Enclosure | - | ■ | 600 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.710 | TS8 Server Enclosure | ■ | - | 700 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 134 |
| 9963.712 | TS8 Server Enclosure | ■ | - | 800 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.724 | TS8 Server Enclosure | ■ | - | 700 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.726 | TS8 Server Enclosure | ■ | - | 800 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.711 | TS8 Server Enclosure | - | ■ | 700 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.713 | TS8 Server Enclosure | - | ■ | 800 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.725 | TS8 Server Enclosure | - | ■ | 700 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.727 | TS8 Server Enclosure | - | ■ | 800 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 135 |
| 9963.736 | TS8 Server Enclosure | ■ | - | 600 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.746 | TS8 Server Enclosure | ■ | - | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.747 | TS8 Server enclosure | - | ■ | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.738 | TS8 Server Enclosure | ■ | - | 700 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.740 | TS8 Server Enclosure | ■ | - | 800 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.748 | TS8 Server Enclosure | ■ | - | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.739 | TS8 Server Enclosure | - | ■ | 700 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.749 | TS8 Server Enclosure | - | ■ | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.737 | TS8 Server Enclosure | - | ■ | 600 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |
| 9963.741 | TS8 Server Enclosure | - | ■ | 800 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 136 |

Product range TS IT

| TS IT Part No. | Design | Color | | Dimensions inches (mm) | | | | Doors | | | | | Roof for cable entry, rear (side entry with brush inserts) | 180° hinges | | Handle for individual lock | | Base/plinth |
|----------------|--------|---------------------|----------------|------------------------|------|------|----|--------------|-------|------------|-------|------------|--|-------------|------|----------------------------|------|-------------|
| | | RAL 7035 Light Grey | RAL 9005 Black | W | H | D | U | Front | | | Rear | | | Front | Rear | Front | Rear | |
| | | | | | | | | Viewing door | Solid | Perforated | Solid | Perforated | | | | | | |
| 5508.110 | | ■ | - | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5508.210 | | - | ■ | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5509.110 | | ■ | - | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5509.210 | | - | ■ | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5510.110 | | ■ | - | 600 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5510.210 | | - | ■ | 600 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5511.110 | | ■ | - | 800 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5511.210 | | - | ■ | 800 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5523.210 | | - | ■ | 600 | 2000 | 1050 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5522.210 | | - | ■ | 800 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5513.110 | | ■ | - | 600 | 2000 | 1000 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5513.210 | | - | ■ | 600 | 2000 | 1000 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5514.110 | | ■ | - | 800 | 2000 | 1000 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5514.210 | | - | ■ | 800 | 2000 | 1000 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5515.110 | | ■ | - | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5515.210 | | - | ■ | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5516.110 | | ■ | - | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5516.210 | | - | ■ | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5523.210 | | - | ■ | 600 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5524.210 | | - | ■ | 800 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |

Product range TS8

| TS8 Part No. | Design | Color | | Dimensions inches (mm) | | | | Doors | | | | | Roof for cable entry, rear (round grommets) | 180° hinges | | Handle for individual lock | | Base/plinth | Catalog 33 page |
|---|--------------------------|---------------------|--------------------|------------------------|------|------|----|--------------|-------|------------|-------|------------|---|-------------|------|----------------------------|------|-------------|-----------------|
| | | RAL 7035 Light Grey | Sand Texture Black | W | H | D | U | Front | | | Rear | | | Front | Rear | Front | Rear | | |
| | | | | | | | | Viewing door | Solid | Perforated | Solid | Perforated | | | | | | | |
| 42U TS8 Server Enclosure - Full Front Door / Split Rear Doors, Slam latch on rear door | | | | | | | | | | | | | | | | | | | |
| 9969.818 | 42U TS8 Server Enclosure | ■ | - | 600 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.832 | 42U TS8 Server Enclosure | ■ | - | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.819 | 42U TS8 Server Enclosure | - | ■ | 600 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.833 | 42U TS8 Server Enclosure | - | ■ | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.820 | 42U TS8 Server Enclosure | ■ | - | 700 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.822 | 42U TS8 Server Enclosure | ■ | - | 800 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.834 | 42U TS8 Server Enclosure | ■ | - | 700 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.836 | 42U TS8 Server Enclosure | ■ | - | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.821 | 42U TS8 Server Enclosure | - | ■ | 700 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.823 | 42U TS8 Server Enclosure | - | ■ | 800 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.835 | 42U TS8 Server Enclosure | - | ■ | 700 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.837 | 42U TS8 Server Enclosure | - | ■ | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.846 | 42U TS8 Server Enclosure | ■ | - | 600 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.908 | 42U TS8 Server Enclosure | ■ | - | 600 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.909 | 42U TS8 Server Enclosure | - | ■ | 600 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.848 | 42U TS8 Server Enclosure | ■ | - | 700 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.850 | 42U TS8 Server Enclosure | ■ | - | 800 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.910 | 42U TS8 Server Enclosure | ■ | - | 800 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.849 | 42U TS8 Server Enclosure | - | ■ | 700 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.911 | 42U TS8 Server Enclosure | - | ■ | 800 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.847 | 42U TS8 Server Enclosure | - | ■ | 600 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.851 | 42U TS8 Server Enclosure | - | ■ | 800 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |

| | | | | | | | | | | | | | | | | | | | |
|--|--------------------------|---|---|-----|------|------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 47U TS8 Server Enclosure - Full Front Door / Split Rear Doors | | | | | | | | | | | | | | | | | | | |
| 9969.824 | 47U TS8 Server Enclosure | ■ | - | 600 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.838 | 47U TS8 Server Enclosure | ■ | - | 600 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.825 | 47U TS8 Server Enclosure | - | ■ | 600 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.839 | 47U TS8 Server Enclosure | - | ■ | 600 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.826 | 47U TS8 Server Enclosure | ■ | - | 700 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.828 | 47U TS8 Server Enclosure | ■ | - | 800 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.840 | 47U TS8 Server Enclosure | ■ | - | 700 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.842 | 47U TS8 Server Enclosure | ■ | - | 800 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.827 | 47U TS8 Server Enclosure | - | ■ | 700 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.829 | 47U TS8 Server Enclosure | - | ■ | 800 | 2200 | 900 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.841 | 47U TS8 Server Enclosure | - | ■ | 700 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.843 | 47U TS8 Server Enclosure | - | ■ | 800 | 2200 | 1000 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.852 | 47U TS8 Server Enclosure | ■ | - | 600 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.912 | 47U TS8 Server Enclosure | ■ | - | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.913 | 47U TS8 Server Enclosure | - | ■ | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.854 | 47U TS8 Server Enclosure | ■ | - | 700 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.856 | 47U TS8 Server Enclosure | ■ | - | 800 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.914 | 47U TS8 Server Enclosure | ■ | - | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.855 | 47U TS8 Server Enclosure | - | ■ | 700 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.915 | 47U TS8 Server Enclosure | - | ■ | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.853 | 47U TS8 Server Enclosure | - | ■ | 600 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.857 | 47U TS8 Server Enclosure | - | ■ | 800 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |

Product range TS IT

| TS IT Part No. | Design | Color | | Dimensions inches (mm) | | | | Doors | | | | | Roof for cable entry, rear (side entry with brush inserts) | 180° hinges | | Handle for individual lock | | Base/plinth |
|-------------------|--------|---------------------|----------------|---------------------------|------|------|----|--------------|-------|------------|-------|------------|---|-------------|------|-------------------------------|------|-------------|
| | | RAL 7035 Light Grey | RAL 9005 Black | W | H | D | U | Front | | | Rear | | | Front | Rear | Front | Rear | |
| | | | | | | | | Viewing door | Solid | Perforated | Solid | Perforated | | | | | | |
| 5508.110 | | ■ | - | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5508.210 | | - | ■ | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5509.110 | | ■ | - | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5509.210 | | - | ■ | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5510.110 | | ■ | - | 600 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5510.210 | | - | ■ | 600 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5511.110 | | ■ | - | 800 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5511.210 | | - | ■ | 800 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5521.210 | | - | ■ | 600 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5522.210 | | - | ■ | 800 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5513.110 | | ■ | - | 600 | 2000 | 1000 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5513.210 | | - | ■ | 600 | 2000 | 1000 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5514.110 | | ■ | - | 800 | 2000 | 1000 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5514.210 | | - | ■ | 800 | 2000 | 1000 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5515.110 | | ■ | - | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5515.210 | | - | ■ | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5516.110 | | ■ | - | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5516.210 | | - | ■ | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5523.210 | | - | ■ | 600 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5524.210 | | - | ■ | 800 | 2200 | 1050 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |

Product range TS8

| TS8 Part No. | Design | Color | | Dimensions inches (mm) | | | | Doors | | | | | Roof for cable entry, rear (round grommets) | 180° hinges | | Handle for individual lock | | | Catalog 33 page |
|--|--------------------------|---------------------|--------------------|------------------------|------|------|----|--------------|-------|------------|-------|------------|---|-------------|------|----------------------------|------|-------------|-----------------|
| | | RAL 7035 Light Grey | Sand Texture Black | W | H | D | U | Front | | | Rear | | | Front | Rear | Front | Rear | Base/plinth | |
| | | | | | | | | Viewing door | Solid | Perforated | Solid | Perforated | | | | | | | |
| 24U TS8 Server Enclosure - Full Front Door / Split Rear Doors | | | | | | | | | | | | | | | | | | | |
| 9969.816 | 24U TS8 Server Enclosure | ■ | - | 600 | 1200 | 900 | 24 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.830 | 24U TS8 Server Enclosure | ■ | - | 600 | 1200 | 1000 | 24 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.844 | 24U TS8 Server Enclosure | ■ | - | 600 | 1200 | 1050 | 24 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.817 | 24U TS8 Server Enclosure | - | ■ | 600 | 1200 | 900 | 24 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.831 | 24U TS8 Server Enclosure | - | ■ | 600 | 1200 | 1000 | 24 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.845 | 24U TS8 Server Enclosure | - | ■ | 600 | 1200 | 1050 | 24 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |

| | | | | | | | | | | | | | | | | | | | |
|--|--------------------------|---|---|-----|------|------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 42U TS8 Server Enclosure - Full Front and Rear Perforated Doors | | | | | | | | | | | | | | | | | | | |
| 9969.808 | 42U TS8 Server Enclosure | ■ | - | 600 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.810 | 42U TS8 Server Enclosure | ■ | - | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.809 | 42U TS8 Server Enclosure | - | ■ | 600 | 2000 | 900 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.811 | 42U TS8 Server Enclosure | - | ■ | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.812 | 42U TS8 Server Enclosure | ■ | - | 700 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.813 | 42U TS8 Server Enclosure | - | ■ | 700 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.814 | 42U TS8 Server Enclosure | ■ | - | 600 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |
| 9969.815 | 42U TS8 Server Enclosure | - | ■ | 600 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | - |

| | | | | | | | | | | | | | | | | | | | |
|---|-----------------------|---|---|-----|------|-----|----|---|---|---|---|---|---|---|---|---|---|---|-----|
| TS8 Network Enclosure - Vented Viewing Door / Split Rear Doors | | | | | | | | | | | | | | | | | | | |
| 9969.874 | TS8 Network Enclosure | ■ | - | 600 | 1200 | 600 | 24 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 128 |
| 9969.858 | TS8 Network Enclosure | ■ | - | 600 | 1200 | 800 | 24 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 128 |
| 9969.860 | TS8 Network Enclosure | ■ | - | 800 | 1200 | 800 | 24 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 128 |
| 9969.875 | TS8 Network Enclosure | - | ■ | 600 | 1200 | 600 | 24 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 128 |
| 9969.859 | TS8 Network Enclosure | - | ■ | 600 | 1200 | 800 | 24 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 128 |
| 9969.861 | TS8 Network Enclosure | - | ■ | 800 | 1200 | 800 | 24 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 128 |
| 9969.862 | TS8 Network Enclosure | ■ | - | 600 | 2000 | 800 | 42 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 129 |
| 9969.863 | TS8 Network Enclosure | - | ■ | 600 | 2000 | 800 | 42 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 129 |
| 9969.864 | TS8 Network Enclosure | ■ | - | 800 | 2000 | 800 | 42 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 129 |
| 9969.865 | TS8 Network Enclosure | - | ■ | 800 | 2000 | 800 | 42 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 129 |
| 9969.866 | TS8 Network Enclosure | ■ | - | 600 | 2200 | 800 | 47 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 129 |
| 9969.867 | TS8 Network Enclosure | - | ■ | 600 | 2200 | 800 | 47 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 129 |
| 9969.868 | TS8 Network Enclosure | ■ | - | 800 | 2200 | 800 | 47 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 129 |
| 9969.869 | TS8 Network Enclosure | - | ■ | 800 | 2200 | 800 | 47 | ■ | - | ■ | - | ■ | ■ | - | - | ■ | ■ | - | 129 |

| | | | | | | | | | | | | | | | | | | | |
|-----------------------------|-----------|---|---|-----|------|------|----|---|---|---|---|---|---|---|---|---|---|---|-----|
| TS LCP Ready Cabinet | | | | | | | | | | | | | | | | | | | |
| 9971.034 | LCP Ready | ■ | - | 600 | 2000 | 1000 | 42 | ■ | - | - | ■ | - | ■ | - | - | ■ | ■ | - | 140 |
| 9962.166 | LCP Ready | - | ■ | 600 | 2000 | 1000 | 42 | ■ | - | - | ■ | - | ■ | - | - | ■ | ■ | - | 140 |
| 9971.036 | LCP Ready | ■ | - | 800 | 2000 | 1000 | 42 | ■ | - | - | ■ | - | ■ | - | - | ■ | ■ | - | 140 |
| 9962.168 | LCP Ready | - | ■ | 800 | 2000 | 1000 | 42 | ■ | - | - | ■ | - | ■ | - | - | ■ | ■ | - | 140 |
| 9971.035 | LCP Ready | ■ | - | 600 | 2000 | 1200 | 42 | ■ | - | - | ■ | - | ■ | - | - | ■ | ■ | - | 140 |
| 9962.167 | LCP Ready | - | ■ | 600 | 2000 | 1200 | 42 | ■ | - | - | ■ | - | ■ | - | - | ■ | ■ | - | 140 |
| 9971.037 | LCP Ready | ■ | - | 800 | 2000 | 1200 | 42 | ■ | - | - | ■ | - | ■ | - | - | ■ | ■ | - | 140 |
| 9962.169 | LCP Ready | - | ■ | 800 | 2000 | 1200 | 42 | ■ | - | - | ■ | - | ■ | - | - | ■ | ■ | - | 140 |

Product range TS IT

| TS IT Part No. | Design | Color | | Dimensions inches (mm) | | | | Doors | | | | | Roof for cable entry, rear (side entry with brush inserts) | 180° hinges | | Handle for individual lock | | Base/plinth |
|----------------|--------|---------------------|----------------|------------------------|------|------|----|--------------|-------|------------|-------|------------|--|-------------|------|----------------------------|------|-------------|
| | | RAL 7035 Light Grey | RAL 9005 Black | W | H | D | U | Front | | | Rear | | | Front | Rear | Front | Rear | |
| | | | | | | | | Viewing door | Solid | Perforated | Solid | Perforated | | | | | | |
| 5504.110 | | ■ | - | 800 | 1200 | 1000 | 24 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5504.210 | | - | ■ | 800 | 1200 | 1000 | 24 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |

| | | | | | | | | | | | | | | | | | | |
|----------|--|---|---|-----|------|------|----|---|---|---|---|---|---|---|---|---|---|---|
| 5508.110 | | ■ | - | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5508.210 | | - | ■ | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5509.110 | | ■ | - | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5509.210 | | - | ■ | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5510.110 | | ■ | - | 600 | 2000 | 1200 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5521.210 | | - | ■ | 600 | 2000 | 1050 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |

| | | | | | | | | | | | | | | | | | | |
|----------|--|---|---|-----|------|------|----|---|---|---|---|---|---|---|---|---|---|---|
| 5504.110 | | ■ | - | 800 | 1200 | 1000 | 24 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5504.210 | | - | ■ | 800 | 1200 | 1000 | 24 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5508.110 | | ■ | - | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5508.210 | | - | ■ | 600 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5509.110 | | ■ | - | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5509.210 | | - | ■ | 800 | 2000 | 1000 | 42 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5515.110 | | ■ | - | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5515.210 | | - | ■ | 600 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5516.110 | | ■ | - | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 5516.210 | | - | ■ | 800 | 2200 | 1200 | 47 | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | ■ | - |

| | | | | | | | | | | | | | | | | | | |
|----------|--|---|---|-----|------|------|----|---|---|---|---|---|---|---|---|---|---|---|
| 5508.120 | | ■ | - | 600 | 2000 | 1000 | 42 | ■ | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | - |
| 5508.220 | | - | ■ | 600 | 2000 | 1000 | 42 | ■ | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | - |
| 5509.120 | | ■ | - | 800 | 2000 | 1000 | 42 | ■ | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | - |
| 5509.220 | | - | ■ | 800 | 2000 | 1000 | 42 | ■ | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | - |
| 5510.120 | | ■ | - | 600 | 2000 | 1200 | 42 | ■ | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | - |
| 5510.220 | | - | ■ | 600 | 2000 | 1200 | 42 | ■ | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | - |
| 5511.120 | | ■ | - | 800 | 2000 | 1200 | 42 | ■ | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | - |
| 5511.220 | | - | ■ | 800 | 2000 | 1200 | 42 | ■ | - | - | ■ | - | ■ | ■ | ■ | ■ | ■ | - |

Product range TS IT – No Current TS8 equivalent

| TS IT Part No. | Design | Color | | Dimensions inches (mm) | | | | Doors | | | | | Roof for cable entry, rear (side entry with brush inserts) | 180° hinges | | Handle for individual lock | | Base/plinth |
|----------------|--------|---------------------|----------------|------------------------|------|------|----|--------------|-------|------------|-------|------------|--|-------------|------|----------------------------|------|-------------|
| | | RAL 7035 Light Grey | RAL 9005 Black | W | H | D | U | Front | | | Rear | | | Front | Rear | Front | Rear | |
| | | | | | | | | Viewing door | Solid | Perforated | Solid | Perforated | | | | | | |
| 5503.120 | | ■ | – | 800 | 1200 | 800 | 24 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5503.220 | | – | ■ | 800 | 1200 | 800 | 24 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5504.120 | | ■ | – | 800 | 1200 | 1000 | 24 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5504.220 | | – | ■ | 800 | 1200 | 1000 | 24 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5505.120 | | ■ | – | 800 | 1800 | 800 | 38 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5505.220 | | – | ■ | 800 | 1800 | 800 | 38 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5506.120 | | ■ | – | 800 | 2000 | 600 | 42 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5506.220 | | – | ■ | 800 | 2000 | 600 | 42 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5507.120 | | ■ | – | 800 | 2000 | 800 | 42 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5507.220 | | – | ■ | 800 | 2000 | 800 | 42 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |
| 5512.220 | | – | ■ | 800 | 2200 | 800 | 47 | ■ | – | – | ■ | – | ■ | ■ | ■ | ■ | – | |

Accessory Range TS8 – TS IT

| TS8 Part No. | Description | TS IT Part No. | Description |
|--------------------|--------------------------------|----------------|---|
| Walls | | | |
| Side panels | | | |
| 9967.470 | Split SW 2000H x 800D (Grey) | 5501.020 | Side panel divided, 79 x 32" (2000 x 800 mm), RAL 7035 |
| 9967.460 | Split SW 2000H x 800D (Black) | 5501.025 | Side panel divided, 79 x 32" (2000 x 800 mm), RAL 9005 |
| 9967.472 | Split SW 2000H x 1000D (Grey) | 5501.030 | Side panel divided, 79 x 40" (2000 x 1000 mm), RAL 7035 |
| 9967.462 | Split SW 2000H x 1000D (Black) | 5501.035 | Side panel divided, 79 x 40" (2000 x 1000 mm), RAL 9005 |
| 9967.474 | Split SW 2000H x 1200D (Grey) | 5501.040 | Side panel divided, 79 x 48" (2000 x 1200 mm), RAL 7035 |
| 9967.464 | Split SW 2000H x 1200D (Black) | 5501.045 | Side panel divided, 79 x 48" (2000 x 1200 mm), RAL 9005 |
| 9967.475 | Split SW 2200H x 800D (Grey) | 5501.050 | Side panel divided, 87 x 32" (2200 x 800 mm), RAL 7035 |
| 9967.465 | Split SW 2200H x 800D (Black) | 5501.055 | Side panel divided, 87 x 32" (2200 x 800 mm), RAL 9005 |
| 9967.477 | Split SW 2200H x 1000D (Grey) | 5501.060 | Side panel divided, 87 x 40" (2200 x 1000 mm), RAL 7035 |
| 9967.467 | Split SW 2200H x 1000D (Black) | 5501.065 | Side panel divided, 87 x 40" (2200 x 1000 mm), RAL 9005 |
| 9967.479 | Split SW 2200H x 1200D (Grey) | 5501.070 | Side panel divided, 87 x 48" (2200 x 1200 mm), RAL 7035 |
| 9967.469 | Split SW 2200H x 1200D (Black) | 5501.075 | Side panel divided, 87 x 48" (2200 x 1200 mm), RAL 9005 |
| 9967.463 | Split SW 2000H x 1050D (Black) | 5501.095 | Side panel divided, 79 x 42" (2000 x 1050 mm), RAL 9005 |
| 9967.468 | Split SW 2200H x 1050D (Black) | 5501.105 | Side panel divided, 87 x 42" (2200 x 1050 mm), RAL 9005 |
| 9967.471 | Split SW 2000H x 900D (Grey) | N/A | N/A |
| 9967.461 | Split SW 2000H x 900D (Black) | N/A | N/A |
| 9967.473 | Split SW 2000H x 1050D (Grey) | N/A | N/A |
| 9967.476 | Split SW 2200H x 900D (Grey) | N/A | N/A |
| 9967.466 | Split SW 2200H x 900D (Black) | N/A | N/A |
| 9967.478 | Split SW 2200H x 1050D (Grey) | N/A | N/A |

Accessory Range TS8 – TS IT

| TS8 Part No. | Description | TS IT Part No. | Description |
|-----------------|--|-----------------|---|
| Base | | | |
| 4611.000 | Twin Caster, 88 lbs static load per, Ground Clearance 2" | 6148.000 | Twin Caster, 165 lbs static load per, Ground Clearance 3" |
| 9967.480 | Complete Caster (600W-Black) | 9968.751 | Caster kit |
| 9967.483 | Complete Caster (600W-Grey) | 9968.751 | Caster kit |
| 9967.481 | Complete Caster (700W-Black) | 9968.751 | Caster kit |
| 9967.484 | Complete Caster (700W-Grey) | 9968.751 | Caster kit |
| 9967.482 | Complete Caster (800W-Black) | 9968.751 | Caster kit |
| 9967.485 | Complete Caster (800W-Grey) | 9968.751 | Caster kit |

Interior installation

| Component Shelves/Slides | | | |
|--------------------------|---|-----------------|--|
| 7119.250 | 2U Component Shelf 250D | 5501.615 | 19", 2 U, Component shelf, 55 lbs. (25kg), 250 mm deep |
| 7143.035 | 19" Component Shelf 110# (300D) | 5501.625 | 19", 2 U, Component shelf, 55 lbs. (25kg), 400 mm deep |
| 7119.400 | 2U Component Shelf 400D | 5501.625 | 19", 2 U, Component shelf, 55 lbs. (25kg), 400 mm deep |
| 7148.035 | 2U Component Shelf 300D w/telescopic slides | 5501.625 | 19", 2 U, Component shelf, 55 lbs. (25kg), 400 mm deep |
| 7144.035 | 19" Component Shelf 110# (400D) | 5501.655 | 19", ½ U, Component shelf, 110 lbs. (50kg), 400-600 mm deep |
| 7145.035 | 19" Component Shelf 110# (500D) | 5501.655 | 19", ½ U, Component shelf, 110 lbs. (50kg), 400-600 mm deep |
| 7063.858 | Mounting Kit, 390-590, 110lbs. | 5501.655 | 19", ½ U, Component shelf, 110 lbs. (50kg), 400-600 mm deep |
| 7063.710 | 1/2U Component Shelf (400-600) | 5501.665 | 19", ½ U, Component shelf, 110 lbs. (50kg), 600-900 mm deep |
| 7145.635 | 19" Component Shelf 110# (600D) | 5501.665 | 19", ½ U, Component shelf, 110 lbs. (50kg), 600-900 mm deep |
| 7145.735 | 19" Component Shelf 110# (700D) | 5501.665 | 19", ½ U, Component shelf, 110 lbs. (50kg), 600-900 mm deep |
| 7063.860 | Mounting Kit, 590-790, 110lbs. | 5501.665 | 19", ½ U, Component shelf, 110 lbs. (50kg), 600-900 mm deep |
| 7051.000 | Telescopic slide 300D, 110lbs. | 5501.675 | 19", 1 U, Component shelf, Pull Out, 110 lbs. (50kg), 400-600 mm deep |
| 7061.000 | Telescopic slide 400D, 110lbs. | 5501.675 | 19", 1 U, Component shelf, Pull Out, 110 lbs. (50kg), 400-600 mm deep |
| 7081.000 | Telescopic slide 500D, 110lbs. | 5501.675 | 19", 1 U, Component shelf, Pull Out, 110 lbs. (50kg), 400-600 mm deep |
| 7063.720 | 1/2U Component Shelf (600-900) | 5501.685 | 19", 1 U, Component shelf, Pull Out, 110 lbs. (50kg), 600-900 mm deep |
| 7161.000 | Telescopic slide 600D, 110lbs. | 5501.685 | 19", 1 U, Component shelf, Pull Out, 110 lbs. (50kg), 600-900 mm deep |
| 7063.895 | 19" Component Shelf 220# (500D) | 5501.695 | 19", 1 U, Component shelf, 220 lbs. (100kg), 400-600 mm deep |
| 7063.892 | Mounting Kit, 490-710, 220lbs. | 5501.695 | 19", 1 U, Component shelf, 220 lbs. (100kg), 400-600 mm deep |
| 9968.421 | Fixed Tool-less 19" Shelf (Grey) | 5501.705 | 19", 1 U, Component shelf, 220 lbs. (100kg), 600-900 mm deep |
| 9968.422 | Fixed Tool-less 19" Shelf (Black) | 5501.705 | 19", 1 U, Component shelf, 220 lbs. (100kg), 600-900 mm deep |
| 7063.897 | 19" Component Shelf 220# (700D) | 5501.705 | 19", 1 U, Component shelf, 220 lbs. (100kg), 600-900 mm deep |
| 9968.556 | 19" HD Tool-less shelf Fixed Grey | 5501.705 | 19", 1 U, Component shelf, 220 lbs. (100kg), 600-900 mm deep |
| 9968.557 | 19" HD Tool-less shelf Fixed Black | 5501.705 | 19", 1 U, Component shelf, 220 lbs. (100kg), 600-900 mm deep |
| 9968.586 | 19" HD Tool-less shelf Telescopic Grey | 5501.705 | 19", 1 U, Component shelf, 220 lbs. (100kg), 600-900 mm deep |
| 9968.587 | 19" HD Tool-less shelf Telescopic Black | 5501.705 | 19", 1 U, Component shelf, 220 lbs. (100kg), 600-900 mm deep |
| 7063.890 | Mounting Kit, 706.5-1006.5, 220lbs. | 5501.705 | 19", 1 U, Component shelf, 220 lbs. (100kg), 600-900 mm deep |
| 7064.000 | Telescopic slide 400D, 220lbs. | 5501.715 | 19", 1-½ U, Component shelf, Pull Out, 220 lbs. (100kg), 400-600 mm deep |
| 7065.000 | Telescopic slide 500D, 220lbs. | 5501.715 | 19", 1-½ U, Component shelf, Pull Out, 220 lbs. (100kg), 400-600 mm deep |
| 7066.000 | Telescopic slide 600D, 220lbs. | 5501.725 | 19", 1-½ U, Component shelf, Pull Out, 220 lbs. (100kg), 600-900 mm deep |
| 7163.500 | Cable Support, <600mm | N/A | N/A |
| 7163.550 | Cable Support, >600mm | N/A | N/A |

Accessory Range TS8 – TS IT

| TS8 Part No. | Description | TS IT Part No. | Description |
|-------------------------|---|----------------|---|
| Cable management | | | |
| Cable management | | | |
| 9969.593 | 3.5" Wide Vertical Manager Kit | 5502.105 | Cable duct for enclosure height 79" (2000 mm) |
| 9969.595 | 7.5" Wide Vertical Manager Kit | 5502.105 | Cable duct for enclosure height 79" (2000 mm) |
| 9969.598 | 7.5" Wide Vertical Manager Kit, for 800W | 5502.105 | Cable duct for enclosure height 79" (2000 mm) |
| 9963.600 | 18U Vertical Cable Manager | 5502.115 | Cable finger, 6 U |
| 9970.254 | Roofmount Cable Manager, 600W, Black | 5502.135 | Roof system supports for cable routes, RAL 9005 |
| 9970.256 | Roofmount Cable Manager, 700W, Black | 5502.135 | Roof system supports for cable routes, RAL 9005 |
| 9970.258 | Roofmount Cable Manager, 800W, Black | 5502.135 | Roof system supports for cable routes, RAL 9005 |
| 9970.264 | Roofmount Cable Mgr w/ladder prov, 600W, Black | 5502.135 | Roof system supports for cable routes, RAL 9005 |
| 9970.266 | Roofmount Cable Mgr w/ladder prov, 700W, Black | 5502.135 | Roof system supports for cable routes, RAL 9005 |
| 9970.268 | Roofmount Cable Mgr w/ladder prov, 800W, Black | 5502.135 | Roof system supports for cable routes, RAL 9005 |
| 9970.260 | Roofmount end cover, black | 5502.135 | Roof system supports for cable routes, RAL 9005 |
| 9970.262 | Roofmount manaaer LCP, black | 5502.135 | Roof system supports for cable routes, RAL 9005 |
| 9970.270 | Roofmount end ladder installation brackets, black | 5502.135 | Roof system supports for cable routes, RAL 9005 |
| 7149.135 | 19" cable trough, 1U | 5502.245 | 19", 1 U, Cable routing channel |
| 7149.035 | 19" cable trough, 2U | 5502.245 | 19", 1 U, Cable routing channel |
| 7140.535 | 19" cable entry, 1U, grey | 5502.255 | 19", 1 U, Cable entry panel |
| 9967.361 | 19" cable entry, 1U, black | 5502.255 | 19", 1 U, Cable entry panel |
| 7150.535 | 19" cable entry, 2U, grey | 5502.265 | 19", 2 U, Cable entry panel |
| 9967.362 | 19" cable entry, 2U, black | 5502.265 | 19", 2 U, Cable entry panel |
| 9969.601 | Cable Slack Spool | 5502.405 | Cable manager |
| 9970.253 | Roofmount Cable Manager, 600W, Grey | 7831.472 | Roof system supports for cable routes, RAL 7035 |
| 9970.255 | Roofmount Cable Manager, 700W, Grey | 7831.472 | Roof system supports for cable routes, RAL 7035 |
| 9970.257 | Roofmount Cable Manager, 800W, Grey | 7831.472 | Roof system supports for cable routes, RAL 7035 |
| 9970.263 | Roofmount Cable Mgr w/ladder prov, 600W, Grey | 7831.472 | Roof system supports for cable routes, RAL 7035 |
| 9970.265 | Roofmount Cable Mgr w/ladder prov, 700W, Grey | 7831.472 | Roof system supports for cable routes, RAL 7035 |
| 9970.267 | Roofmount Cable Mgr w/ladder prov, 800W, Grey | 7831.472 | Roof system supports for cable routes, RAL 7035 |
| 9970.259 | Roofmount end cover, grey | 7831.472 | Roof system supports for cable routes, RAL 7035 |
| 9970.261 | Roofmount manager LCP, grey | 7831.472 | Roof system supports for cable routes, RAL 7035 |
| 9970.269 | Roofmount end ladder installation brackets, grey | 7831.472 | Roof system supports for cable routes, RAL 7035 |
| 9969.594 | 3.5" Manager Cover | N/A | N/A |
| 9969.596 | 7.5" Manager Cover | N/A | N/A |
| 9967.365 | Cable Trough, Tool-less | N/A | N/A |
| 9967.364 | Cable Management Bar, Tool-less | N/A | N/A |
| 9970.271 | Roofmount ladder rack | N/A | N/A |

Accessory Range TS8 – TS IT

| TS8 Part No. | Description | TS IT Part No. | Description |
|---|---|----------------|--|
| 19" (482.6 mm) installation system | | | |
| 19" (482.6 mm) installation | | | |
| 9961.328 | Air brush baffles, 42U x 600W | 5501.805 | Air baffle plate, 24 x 79" (600 x 2000 mm) |
| 9978.352 | Metal air baffles, 42U x 600W | 5501.805 | Air baffle plate, 24 x 79" (600 x 2000 mm) |
| 9961.330 | Air brush baffles, 42U x 800W | 5501.815 | Air baffle plate, 32 x 79" (800 x 2000 mm) |
| 9978.354 | Metal air baffles, 42U x 800W | 5501.815 | Air baffle plate, 32 x 79" (800 x 2000 mm) |
| 9961.331 | Air brush baffles, 47U x 600W | 5501.825 | Air baffle plate, 24 x 87" (600 x 2200 mm) |
| 9978.355 | Metal air baffles, 47U x 600W | 5501.825 | Air baffle plate, 24 x 87" (600 x 2200 mm) |
| 9961.333 | Air brush baffles, 47U x 800W | 5501.835 | Air baffle plate, 32 x 87" (800 x 2200 mm) |
| 9978.357 | Metal air baffles, 47U x 800W | 5501.835 | Air baffle plate, 32 x 87" (800 x 2200 mm) |
| 9970.240 | 1U tool-less blanking panel, metal, grey | 7151.005 | 1 U, Blanking panel, RAL 9005 |
| 7152.035 | 2U tool-less blanking panel, metal, grey smooth | 7152.005 | 2 U, Blanking panel, RAL 9005 |
| 9970.241 | 3U tool-less blanking panel, metal, grey | 7153.005 | 3 U, Blanking panel, RAL 9005 |
| 7153.035 | 3U tool-less blanking panel, metal, grey smooth | 7153.005 | 3 U, Blanking panel, RAL 9005 |
| 7156.035 | 6U tool-less blanking panel, metal, grey smooth | 7156.005 | 6 U, Blanking panel, RAL 9005 |
| 9971.066 | Button Mount Bracket | N/A | N/A |
| 9961.329 | Air brush baffles, 42U x 700W | N/A | N/A |
| 9961.332 | Air brush baffles, 47U x 700W | N/A | N/A |
| 9961.334 | Brush Ring | N/A | N/A |
| 9961.326 | Snap Ring | N/A | N/A |
| 9978.353 | Metal air baffles, 42U x 700W | N/A | N/A |
| 9978.356 | Metal air baffles, 47U x 700W | N/A | N/A |
| 7151.035 | 1.5U tool-less blanking panel, metal, grey smooth | N/A | N/A |
| 7157.035 | 5U tool-less blanking panel, metal, grey smooth | N/A | N/A |
| 9960.552 | Side breathing air baffle | N/A | N/A |

Fan system

| Fan System | | | |
|-------------------|--------------------------------|----------|--|
| 7968.035 | Fan Tray 600 x 800, 1000, 1200 | 5502.010 | Fan mounting plate, up to (3) fans, RAL 7035 |
| 7986.035 | Fan Tray 800 x 600 | 5502.010 | Fan mounting plate, up to (3) fans, RAL 7035 |
| 7988.035 | Fan Tray 800 x 800, 1000, 1200 | 5502.020 | Fan mounting plate, up to (6) fans, RAL 7035 |
| 7966.035 | Fan Tray 600 x 600 | N/A | N/A |

Door Control System

| Door Control System | | | |
|----------------------------|----------|-----|-----|
| 9971.115 | Door Kit | N/A | N/A |

Keyboards, supports and drawers

| Keyboards, supports and drawers | | | |
|--|--------------------|----------|---------------------------|
| 7281.035 | Keyboard Drawer 2U | 5502.305 | 19", 2 U, Pull-out drawer |

Rittal – The System.

Faster – better – worldwide.

- Enclosures
- Power Distribution
- Climate Control
- IT Infrastructure
- Software & Services

The Rittal Corporation is the U.S. subsidiary of Rittal GmbH & Co. KG and manufactures the world's leading industrial and IT enclosures, racks and accessories, including climate control and power management systems for industrial, data center, outdoor and hybrid applications. For more information about Rittal and its products, please visit www.rittal.us or call 1-800-477-4000.

Rittal Corporation

1 Rittal Place • Urbana Ohio 43078 • USA
Woodfield Corporate Center • 425 North Martingale Road, Suite 400 • Schaumburg Illinois 60173 • USA
Phone: 937-399-0500 • Fax: 800-477-4003 • Toll-free: 800-477-4000
Email: rittal@rittal.us • Online: www.rittal.us

Rittal Systems Ltd.

6485 Ordan Drive • Mississauga Ontario L5T 1X2 • Canada
Phone: 905-795-0777 • Fax: 905-795-9548 • Toll-free: 800-399-0748
Email: marketing@rittal.ca • Online: www.rittal.ca

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP